



IBM

## Linux Distributions

---

*What they are, how they work,  
which one to choose*

Avi Alkalay <[avix@br.ibm.com](mailto:avix@br.ibm.com)>

+55-11-2132-2327

*Linux, Open Standards Consultant  
IBM Corporation*

*[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)*

IBM



# What is a Linux Distribution



**Ecosystem**

( A set of packaged software  
(as RPM files) with the  
distro's digital signature )

( An installation program,  
which is by himself one of  
the packaged software )

( People that build value  
networks with SW and HW  
vendors, community, etc )



# What are RPM Packages



- ◆ A core OS technology created to ease software management
- ◆ Similar to a ZIP file, plus meta-information like sw version, description, installation date, etc
- ◆ Responsible for sw installation, deinstallation and upgrades
- ◆ Makes consistency checks for different components inter-relations and dependencies
- ◆ Provides automatic execution of custom scripts before and after a sw is (de)installed
- ◆ Provides file corruption check mechanism





IBM

## **“The Best Linux Distribution”**

---

*[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)*

IBM



***Fact 1: All Enterprise\* Linux  
distributions are excellent***

***Fact 2: All Enterprise Linux  
distributions fulfill real world needs***

\*Talking about Red Hat Enterprise Linux and SLES

***[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)***

**IBM**



***Fact 3: To choose a Linux distribution is more like to choose a tomato sauce***

***(it is more related to personal taste and proximity to you, than to the quality of the product)***

***[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)***

**IBM**



# Important Things to Think About

---

1. Which distro provider I have closer commercial relations with ?
2. Which distro I like more ?
3. Who has best price ?
4. Which distro is recommended by the ISV sw and IHV hw of some specific project ?
5. Unless you know what you are doing, be responsible and use an Enterprise distribution



## ***Fact 4: To use at most 2 distributions is not a bad thing***

- ◆ There are not big technical differences between them. A RHEL sysadmin can handle SLES too, and vice-versa
- ◆ Diversity provides choice, and make providers fight for you, in quality and in price
- ◆ The magic number is 2. Not 1. Not 3.





**Instead of asking:**

***Whats the best distro ?***

**Start thinking about:**

***What is the best distribution for my company and my specific project ?***

***[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)***

**IBM**



# What Customers look for on Enterprise Distributions ?

---

## They look for 'support', which really means:

1. A partner available now and in the long term, to transfer operational risks
2. Fast access to quality updates
3. Large set of compatible HW and ISV sw
4. Availability of pre-tested complex solutions ecosystem

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM®





IBM

## Popular Distributions



---

*Aspects of Red Hat, SuSE,  
Fedora, OpenSuse, Debian, etc*

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM



 <b>SLES</b>	 <b>RHEL</b>
<p>↑ Include Java, Flash and other popular no-cost closed-source software</p>	<p>↓ Strict policy to include only Open Source and patent-free software</p>
<p>↔ Stick with what already works</p>	<p>↔ Include last stable innovations from the Open Source world</p>
<p>↓ Uncommon interpretation of standards like the FHS, LSB, jpackage</p>	<p>↑ Common sense strict conformance to Linux standards, including jpackage</p>
<p>↓ Naming conventions (packages, folders, filenames, etc) have some "SuSE" signature</p>	<p>↑ Naming conventions are generic and Red Hat-independent</p>
<p>↓ Different source packages (kernel, libc, etc) for different architectures</p>	<p>↑ Same source packages across all platforms, with intelligent build system</p>
<p>↓ Not all source packages available to the public</p>	<p>↑ All source packages available to the public</p>
<p>↑ Unified, componentized and more complete configuration tools via YaST, for TUI and GUI</p>	<p>↓ Small separate configuration tools for the generic situations, mostly for GUI</p>
<p>↔ Building an ecosystem of ISVs, IHVs and users</p>	<p>↑ Strong ecosystem established</p>
<p>↔ Company: High level products like mail server, firewall, etc, plus Novell closed-source products, including Java MW</p>	<p>↔ Company: PostgreSQL, Java MW, and infrastructural products like GFS, Cluster System, Directory Server, all OSS</p>

↑ favorable    ↓ unfavorable    ↔ goot to know

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)



- ◆ SuSE and Red Hat testbed for next enterprise versions
- ◆ Same flavor of their mother “E” distributions
- ◆ Available only on some platforms (ia32, x86\_64)
- ◆ Not committed to build an ecosystem of ISVs and IHVs
- ◆ Not committed to stability
- ◆ Open development and testing with community help





IBM

# CentOS Linux

---

*A very special Linux distribution*

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM





***Fact: CentOS is byte-identical  
to Red Hat Enterprise Linux***

*[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)*

IBM®



# CentOS Aspects

---

- ◆ Made possible because Red Hat has in their strategy that all they write must be Open Source, including build process, integration, debugging methods, etc. So...
- ◆ ...to be Open Source means to be reproducible
- ◆ Available on all platforms (ia32, x86\_64, ia64, s390x, ppc)
- ◆ Binary RHEL-ready hw drivers, are technically CentOS-ready too
- ◆ ISV sw for RHEL behaves exactly the same on CentOS
- ◆ Coherent version numbers  
CentOS 3.2 equals to RHEL 3 update 2







***But how CentOS does that ?***

***Answer is in the core of how the RPM  
technology works, and on how RHEL  
source-packages are deployed***


***[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)***

**IBM**



# RPM: The Raw Source Code

---



- ◆ The base original thing to start with
- ◆ Collection of sources in C, C++, documentation, etc
- ◆ Published with a version number on the sw home page
- ◆ Use to be difficult to compile, and needs customizations

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM®



# RPM: The Raw Source Code



Apache Web Server source code being distributed on his web site: generic and not flavored to any distribution


- ◆ GZipped TAR is an archive format similar to ZIP, but better
- ◆ Includes all Apache source in C language, documentation etc

*ibm.com/open || ibm.com/linux*

IBM



# RPM: The Distribution-specific Patches




- ◆ Modifications to the original source code
- ◆ Distribution bug fixes
- ◆ Distribution specific addons, additional sources, plugins
- ◆ Backports of advanced, next-generation features

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM



# RPM: The RPM Specification (spec) File




- ◆ Package summary, description, version, release, etc
- ◆ The pre-install, post-install, etc scripts
- ◆ How to integrate patches and sources, and compile all
- ◆ Where to install the compiled files on the filesystem

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM



# RPM: The Source-RPM File



- ◆ All three components grouped in one distributable file
- ◆ Source-RPMs are automatic cooking machines
- ◆ They contain, in open formats, all the flavor a distribution wants to give to certain software

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM



# RPM: Source-RPM Files




RHEL 4AS updated Apache (httpd), Kernel and other source-RPMs: freely available on Red Hat's FTP server

- ◆ Use to be freely distributable under GPL license





# RPM: The Build Process




- ◆ A standard single `rpmbuild` command generates the installable RPM file
- ◆ No logic, customization, brain or magic is needed in this step






# RPM: The Generated RPM File



- ◆ The RPM file is generated with distro's digital signature
- ◆ The usable RPM file use to be not freely-distributable on commercial distributions



# RPM: The Generated RPM File



The screenshot shows a web browser window displaying the index of RPM files for OpenSuSE. The browser's address bar shows the URL <http://ftp.opensuse.org/pub/opensuse/distribution/SL-10.0-OSS/inst-source/suse/i686>. The page title is "Index of /pub/opensuse/distribution/SL-10.0-OSS/inst-soi". The main content is a table with three columns: "Name", "Last modified", and "Size". The table lists several RPM files, including "db-4.3.27-7.i686.rpm", "db-devel-4.3.27-7.i686.rpm", "db41-4.1.25-78.i686.rpm", "db41-devel-4.1.25-78.i686.rpm", "qlibc-2.3.5-40.i686.rpm", and "qlibc-devel-2.3.5-40.i686.rpm". The status bar at the bottom of the browser window shows "Done".

Name	Last modified	Size
<a href="#">Parent Directory</a>		-
<a href="#">MD5SUMS</a>	15-Sep-2005 02:58	360
<a href="#">db-4.3.27-7.i686.rpm</a>	09-Sep-2005 21:55	1.5M
<a href="#">db-devel-4.3.27-7.i686.rpm</a>	09-Sep-2005 21:55	4.1M
<a href="#">db41-4.1.25-78.i686.rpm</a>	09-Sep-2005 21:55	646K
<a href="#">db41-devel-4.1.25-78.i686.rpm</a>	09-Sep-2005 21:55	1.2M
<a href="#">qlibc-2.3.5-40.i686.rpm</a>	09-Sep-2005 20:29	3.0M
<a href="#">qlibc-devel-2.3.5-40.i686.rpm</a>	09-Sep-2005 20:29	3.4M

Apache/2.0.49 (Linux/SuSE) Server at ftp.opensuse.org Port 80

Some binary RPMs freely available from a free distribution: OpenSuSE


- ◆ SuSE is a commercial distribution which doesn't provide binary RPMs, different from OpenSuSE (the SuSE beta) which provides RPMs

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM



# RPM: Designed to Rebuild on Any System



# CentOS and our Support Chart

---


## Customers look for these 'support' aspects:

1. A partner available now and in the long term to transfer operational risks  
↓ Not provided by CentOS
2. Fast access to quality updates  
↔ A few hours delay compared to RHEL
3. Large set of compatible HW and ISV SW  
↑ Technically inherited from RHEL, but informal
4. Access to pre-tested complex solutions ecosystem  
↑ Technically inherited from RHEL, but informal





IBM



Avi Alkalay <[avix@br.ibm.com](mailto:avix@br.ibm.com)>

11-2132-2327

*Linux, Open Standards Consultant  
IBM Corporation*

# Thank You !

[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM



## ➤ Sumário

Linux e Padrões Abertos estão mudando a forma como empresas compram e usam tecnologia. A apresentação mostra a relação entre tecnologias como Linux, Java, XML, HTML, etc, o comprometimento da IBM com sua evolução, caminhos estratégicos, e como clientes estão tendo sucesso com seu uso. Linux no desktop, vantagens e desvantagens, verdades e mitos.

## ➤ Summary :: An Open Source techie guy in the corporate world

Avi Alkalay is an Open Source techie guy that the destiny made him work at the IBM Linux Impact Team, dealing with the heavy corporate clients. So he had to learn how to talk about Linux and Open Source with more responsibility, leaving the religious aspects of the technology at home. From this experience, he learned how to effectively sell Linux, Open Source and Open Standards solutions, best practices, what open source techie guys can and cannot say to customers, when the Open Source model works and when it doesn't (from a business perspective), and how to increase Linux popularity inside corporations, not only in the infrastructure side of the IT, but also in the core business, ERPs, etc, and also a mature vision of the status of Linux as a corporate desktop.

## ➤ Apresentador



Avi Alkalay é consultor de Linux e Padrões Abertos na IBM. É ativo na comunidade Open Source, contribuindo software para diversos projetos. Trabalhou com praticamente todas as tecnologias da Internet, desde a sua alvorada, atuando hoje como arquiteto em soluções de e-business, e ajudando clientes a migrarem seus processos p/ Padrões Abertos.

## ➤ Apresentador (outra opção)




Consultor de Linux e Open Source. Expert em soluções baseadas em Linux e padrões abertos, tendo ajudado clientes a migrarem para tal, considerando aspectos culturais, comerciais, e tecnológicos de seus contextos. Contribui para a comunidade de Software Livre com idéias e código, tendo um amplo conhecimento de seu dinamismo, vantagens e desafios. É membro do grupo de desenvolvimento de Linux no Desktop interno da IBM, com foco em interfaces com o usuário. Foi responsável pela segurança corporativa de Internet da IBM Brasil, e atualmente empenha-se na evangelização do uso racional de Padrões Abertos.





# RPM: The Whole Process



[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM



# Players do Desktop Linux



[ibm.com/open](http://ibm.com/open) || [ibm.com/linux](http://ibm.com/linux)

IBM

